



Cleaning & Disinfecting Home Garden Tools & Equipment

Kim Leonberger
Plant Pathology
Extension Associate

Kara Back
Horticulture
County Extension Agent

Nicole Gauthier
Plant Pathology
Extension Specialist

IMPORTANCE

Dirty tools, containers, and surfaces come as no surprise to home gardeners (FIGURE 1). Rinsing with water to remove obvious soil or plant residues is a common practice. However, this type of basic cleaning can fail to remove microscopic plant pathogens that can remain on surfaces. Tools, containers, shoes, and surfaces should also be disinfected to remove fungal, bacterial, and viral plant pathogens to prevent transmission to healthy plants. Some household products can either clean items or disinfect, while others can both clean and disinfect. The following details the cleaning and disinfecting methods suggested for home gardeners. [Note: Guidelines for cleaning and disinfecting surfaces and equipment in a commercial production setting are more stringent; producers should consult *Cleaning and Sanitizing Commercial Greenhouse Surfaces* (PPFS-GH-07) for recommendations.]



FIGURE 1. POTS (A) AND TROWELS (B) OFTEN BECOME COVERED WITH SOIL; PRUNERS (C) MAY BECOME COVERED IN PLANT SAP OR PLANT DEBRIS DURING USE. THESE ITEMS SHOULD BE CLEANED AND SANITIZED TO REMOVE POTENTIAL PATHOGENS.

PROCEDURE FOR CLEANING & DISINFECTING GARDEN EQUIPMENT

STEP 1: Cleaning

Clean and scrub to remove organic matter, which can inhibit the disinfection process. Begin with a water rinse and then follow up with a soapy wash. Rinse surfaces after washing to remove residues.

FIGURE 4. BRUSHES ARE HELPFUL FOR SCRUBBING SOIL AND DEBRIS FROM GARDEN TOOLS, SUCH AS PRUNERS AND TROWELS.



STEP 2: Disinfecting

Methods for disinfection include soaking (FIGURE 5A), dipping (FIGURE 5B), and spraying (FIGURE 5C). Exposure time is the length of time the product needs to remain in contact with the surface to kill or inactivate pathogens. Most products, including household cleaners (Lysol™), rubbing alcohol (70%) and TSP (10%) require a 3- to 5-minute soak to effectively sanitize (inactivate pathogens). Note that bleach is the most effective disinfectant and can kill surface microorganisms within 30 seconds.

Both bleach and TSP are corrosive to metal tools and can be harmful if inhaled; thus, they are not recommended as a first choice for disinfection. Never mix bleach with other cleaning products, as a toxic gas can be produced. Garden tools with wooden parts are often more difficult to disinfect than those made of plastic, metal, or fiberglass.



FIGURE 5. SUPPLIES, SUCH AS POTS, CAN BE SOAKED IN A DISINFECTANT SOLUTION (A). PRUNERS, SCISSORS, AND TROWELS CAN BE DIPPED IN DISINFECTANT; BE SURE ENTIRE CUTTING SURFACES ARE COMPLETELY SUBMERGED IN THE SOLUTION (B). SOME DISINFECTANT PRODUCTS CAN BE APPLIED BY SPRAYING (C).

STEP 3: Rinse & Dry

A thorough rinse (FIGURE 6) can remove residues, as well as products such as bleach, that may corrode tools and metal surfaces. Allow tools to dry completely before storing (FIGURE 7). Some tools may benefit from oiling before storage.



FIGURE 6. TOOLS, POTS, AND OTHER SUPPLIES SHOULD BE RINSED WITH CLEAN WATER AFTER DISINFECTING. **FIGURE 7.** POTS AND TOOLS SHOULD BE COMPLETELY DRY BEFORE STORING. WHILE POTS CAN BE SET OUT TO AIR-DRY, METAL TOOLS SHOULD BE DRIED COMPLETELY WITH PAPER TOWELS TO PREVENT RUST.

ADDITIONAL RESOURCES

- Cleaning and Sanitizing Commercial Greenhouse Surfaces (PPFS-GH-07) <https://plantpathology.ca.uky.edu/files/ppfs-gh-07.pdf>
- Fruit, Orchard, and Vineyard Sanitation (PPFS-GEN-05) <https://plantpathology.ca.uky.edu/files/ppfs-gen-05.pdf>
- Greenhouse Sanitation (PPFS-GH-04) - <https://plantpathology.ca.uky.edu/files/ppfs-gh-04.pdf>
- Landscape Sanitation (PPFS-GEN-04) <https://plantpathology.ca.uky.edu/files/ppfs-gen-04.pdf>

June 2020

Disclaimer

Other products not listed in this publication may be appropriate and provide adequate cleaning and/or disinfection. Inclusion in this document does not confer endorsement of the product or brand.

Acknowledgment: The authors thank Cheryl Kaiser, Plant Pathology Extension Support at the University of Kentucky, for her review of this publication.

Photos: University of Kentucky - Kimberly Leonberger (Figures 1 to 5, 7), Cheryl Kaiser (Figure 6)

Educational programs of the Kentucky Cooperative Extension Service serve all people regardless of race, color, age, sex, religion, disability, or national origin.