

College of Agriculture, Food and Environment Cooperative Extension Service

**Plant Pathology Fact Sheet** 

PPFS-OR-W-14

## **Fungicides for Management of Landscape Woody Ornamental Diseases**

Nicole Gauthier, Extension Plant Pathologist

This guide is a decision-making tool to help growers select fungicides from different chemical classes (FRAC).<sup>1</sup> Additional information can be found in a number of UK Cooperative Extension Service publications or by contacting county Extension agents.

FRAC Code Fungicide Group <sup>1</sup>	Fungicide	Chemical	Leaf Spots & Blights, Anthracnose, Petal Blights Fungal	Fire Blight Bacterial	Needle Diseases Fungal	Powdery Mildew Fungal	<b>Rust</b> Fungal	Stem/Root rots by Water Molds Oomycetes	Stem/Root Rots Fungal	<b>Scab</b> Fungal	Downy Mildew Oomycetes
1 MBC Benzimidazoles	Broad spectrum fungicide for various fungi.										
	Cleary's 3336	thiophanate- methyl	х			х	x		х	х	
	Banrot*	etridiazole + thiophanate- methyl						x	х		
	Zyban*	thiophanate- methyl + mancozeb	х			x	x		х	x	x
2 Dicarboximides	Broad spectrum fungicide for greenhouse and nursery use.										
	Chipco 26019**	iprodione	х						х		
3 DMI or SI Triazoles	Effective on powdery mildew. Not effective on downy mildew.										
	Banner	propiconazale	х		х	х	х			х	
	Bayleton	triadimefon	х			х	х				
	Eagle	myclobutanil	х			х	х			х	

Agriculture & Natural Resources • Family & Consumer Sciences • 4-H/Youth Development • Community & Economic Development

FRAC Code Fungicide Group <sup>1</sup>	Fungicide	Chemical	Leaf Spots & Blights, Anthracnose, Petal Blights Fungal	Fire Blight Bacterial	Needle Diseases Fungal	Powdery Mildew Fungal	<b>Rust</b> Fungal	Stem/Root rots by Water Molds Oomycetes	Stem/Root Rots Fungal	<b>Scab</b> Fungal	Downy Mildew Oomycetes
4	Effective against diseases caused by oomycetes (water molds), including damping-off, root and stem rots, and foliar diseases. Use as										
Phenylamides	soil drench or foliar application.										
	Subdue**	mefenoxam						х			х
7 Carboxamides	Effective on mildews, foliar pathogens, and most fungi.										
	Pageant*	pyraclostrobin + boscalid	x			x	x		х	x	
11 Qol Strobilurins	Effective on mildews, foliar pathogens, and most fungi. Fungicide resistance risk high. Some control of oomycetes.										
	Heritage	azoxystrobin	х		х	x	x	Х	х	х	x
	Pageant**	pyraclostrobin + boscalid	x			x	x	х	x	x	x
	Compass**	trifloxystrobin	х			х	х	х	х	х	х
12 Phenyl Pyrroles	Broad spectrum fungicide, not effective against oomycetes (water molds).										
	Medallion	fludioxonil	х						х		
14 Aromatic Hydrocarbons	Effective aga	ainst water m	olds (oomyce	tes).							
	Terrazole	etridiazole						х			
	Truban	etridiazole						х			
	Terraclor	PCNB							Х		
	Terraguard**	triflumizole	x			х	х		Х	х	
	Banrot*	etridiazole + thiophanate- methyl						х	х		
17 Hydroxyanilides	Protection from <i>Botrytis</i> spp. in outdoor and greenhouse nursery crops.										
	Decree**	fenahexamid	х								
21 Ubiquinone Qil	Effective against water molds (oomycetes).										
	Segway	cyazofamid						х			х

FRAC Code Fungicide Group <sup>1</sup>	Fungicide	Chemical	Leaf Spots & Blights, Anthracnose, Petal Blights Fungal	Fire Blight Bacterial	Needle Diseases Fungal	Powdery Mildew Fungal	<b>Rust</b> Fungal	Stem/Root rots by Water Molds Oomycetes	Stem/Root Rots Fungal	<b>Scab</b> Fungal	Downy Mildew Oomycetes
28 Carbamates	Control of oomycetes (water molds). Not for use in landscapes.										
	Banol**	propamocarb						x			х
33 Phosphonates	Effective as	a protectant	treatment of	water mold	s (oomycete	es) such as P	hytophthor	a, Pythium, ai	nd downy mi	ldew patho	gens.
	Alude	phosphorus acid		Р				x		х	
	Aliette	fosetyl-AL		Р				x			х
	Vital	phosphorus acid						х			х
M Multi-site Inhibitors	Effective as	protectants o	n broad spec	trum includi	ing most fur	ngi and mild	ews. No sy	stemic activity	v. Fungicide r	esistance r	sk low.
	Kocide	copper	х	х	х					х	х
	Champion	copper	х	х	х					х	х
	Captan	captan	х				х		х		
	Daconil	chlorothalonil	х		х	х					
	Manicure	chlorothalonil	Х		х	х					
	Dithane	mancozeb	Х		х				х		х
	Ziram	ziram	х								

## Notes

- <sup>1</sup> FRAC codes group fungicides by their mode of action. Fungicides groups should be rotated
- \* Chemical contains more than one active ingredient, thus more than one FRAC code is assigned.

\*\* Not for use in residential landscapes; commercial use only. See label.

## Fungicides marked with an "x" are labeled for use.

This table reports information on fungicide labels and does not necessarily reflect product efficacy. Refer to fungicide labels for rates and usage. P = preventative only

March 2020

## Check fungicide labels for specific host information, possible phytotoxicity, rates, re-entry intervals, and resistance management information. Always follow label instructions.

Educational programs of the Kentucky Cooperative Extension Service serve all people regardless of race, color, age, sex, religion, disability, or national origin.