

College of Agriculture, Food and Environment Cooperative Extension Service

Plant Pathology, Forestry & Entomology Fact Sheet PPFS-OR-W-31 FORFS-21-03 ENTfact-461

Common Problems of Common Shrubs — An Index —

Nicole Gauthier, Plant Pathology Extension Specialist Ellen Crocker, Forest Health Extension Specialist Jonathan Larson, Entomology Extension Specialist Kim Leonberger, Plant Pathology Extension Associate Jamie Dockery, Horticulture Extension Agent

INTRODUCTION

Shrubs are an important part of landscapes and woodlands. However, shrubs may experience a wide range of issues including disease, insects, and abiotic disorders. This publication includes the most frequently observed problems of common shrubs in Kentucky listed in alphabetical order (not necessarily in order of importance). Contact a local county Extension agent for assistance with diagnosing and managing these and other problems.

Host	Diseases	Insects	Abiotic	Other Lesser Problems
Boxwood Buxus	 Boxwood blight Macrophoma dieback Volutella blight 	 Boxwood leafminer Boxwood psyllid 	• Winter injury	 Boxwood rust mite Boxwood spider mite Four lined plant bug
Dogwood shrubs (Gray, Red osier, Silky, etc.) Cornus	 Anthracnose Botryosphaeria & other cankers Powdery mildew Root rots 	 Dogwood borer Granulate ambrosia beetle 		 Dogwood sawfly larvae Leaf miners Scale insects Various leaf spots



ROSE ROSETTE VIRUS

APHIDS

IRON DEFICIENCY

Agriculture & Natural Resources • Family & Consumer Sciences • 4-H/Youth Development • Community & Economic Development

Host	Diseases	Insects	Abiotic	Other Lesser Problems
Euonymus Euonymus	• Powdery mildew	Euonymus scale		 Black vine weevil Crown gall Spider mites Non-native burning bush (<i>Euonymous alatus</i>) is invasive in Kentucky.
Holly Ilex	 Black root rot Pythium root rot 	 Cottony camellia scale Holly leafminers 	 Nutritional issues Soil pH (iron deficiency) Wet feet 	 Black vine weevil Holly pit scale Holly scale Phytophthora root rot Southern red mite
Hydrangea Hydrangea	 Cercospora leaf spot Powdery mildew 		• Winter injury to flower buds (failure to bloom)	 Aphids Armillaria root rot Bacterial leaf spot Oystershell scale Rust Spider mites White flies
Juniper Juniperus	 Gymnosporangium rusts (cedar-apple rust, cedar-quince rust) Kabatina twig blight Phomopsis tip blight 	 Bagworm Spider mites 		 Botryosphaeria canker Minute juniper scale Phytophthora root rot Spruce spider mite
Lilac Syringa	Bacterial blightPowdery mildew	Lilac borerOystershell scale		Black vine weevil
Rhododendron & Azalea Rhododendron	 Botryosphaeria canker Phytophthora dieback/blight Phytophthora root rot Various fungal leaf spots 	• Azalea lace bug	 Iron chlorosis/high soil pH Wet feet Winter injury 	 Azalea caterpillars Black vine weevil Leaf & flower galls Leafminers Leaf rust Mites Ovulina petal blight Scale insects
Rose Rosa	 Black spot Powdery mildew Rose canker Rose rosette virus 	 Japanese beetle Rose slug 	• Winter injury	 Downy mildew Herbicide damage Leaf cutter bees Mites Rose chafer Thrips
Serviceberry Amelanchier	 Fire blight Gymnosporangium rusts (cedar-apple rust, cedar-quince rust) 			 Aphids Borers Japanese beetles Leaf miners Pear slug sawfly Powdery mildew Scale insects Spider mites Various leaf spots

Host	Diseases	Insects	Abiotic	Other Lesser Problems
Spicebush Lindera	 Laurel wilt disease 		 Transplant shock 	
Taxus Taxus	• Phytophthora root & crown rot		• Soil pH issues • Wet feet	 Black vine weevil Mealybugs Sapsucker
Viburnum Viburnum	 Botryosphaeria canker Various leaf spots 			 Aphids Clearwing borer Downy mildew Mites Powdery mildew Root weevils Sapsucker (major wildlife problem) Scale insects Thrips
Potential problems that can affect all shrub species	• Leaf scorch • Root rot	 Aphids Bagworms Black vine weevil Japanese beetles Scale insects Spider mites 	 Environmental stress¹ Insufficient drainage Soil compaction Soil pH issues Winter damage 	 Improper planting² Transplant shock

¹ Environmental stresses can include drought, wet soil, weather extremes, etc.

² Improper planting practices can include unfavorable planting site, inadequte site preparation, incorrect planting depth (either too deep or too shallow), planting hole too small, etc.

ADDITIONAL RESOURCES

- Department of Entomology Website https://entomology.ca.uky.edu/landscape
- Department of Forestry and Natural Resources Website https://forestry.ca.uky.edu/extension-home
- Department of Horticulture Website https://www.uky.edu/hort/home-horticulture
- Department of Plant Pathology Website http://plantpathology.ca.uky.edu/extension/publications

July 2021

Acknowledgments

The authors would like to thank Brenda Kennedy, University of Kentucky Plant Disease Diagnostician, and Cliff Sadof, Purdue University Extension Entomologist, for their reviews of this publication.

Editor: Cheryl Kaiser, Plant Plant Extension Support **Photos**: University of Kentucky—Nicole Gauthier (rose rosette virus) and Winston Dunwell (iron clorosis); Bugwood.org—Clemson University – USDA Cooperative Extension Slide Series (aphids)

Educational programs of the Kentucky Cooperative Extension Service serve all people regardless of race, color, age, sex, religion, disability, or national origin.